







My second Simplicity® in 30 years!

Best cutting lawn mower that I've ever had.

High-quality machine.

11

When you are looking for a lawn tractor, yard tractor, garden tractor or zero turn mower, there are many manufacturers and features from which to choose.

But if you focus on what's important – dependability, quality of cut and having the best looking lawn in the neighborhood – your decision will be easy... Simplicity.







NEIGHBORHOOD DEALER EXPERIENCE Your local Simplicity Dealer, a dedicated and experienced professional, will deliver your new mower to your home, teach you how to operate it if needed, and help you with accessories, seasonal maintenance, and provide factory approved parts and service. It's an added value to ensure your Simplicity will give you a beautiful lawn for years to come. Simplicity Tractors and Zero Turn Mowers are sold exclusively through independent dealers who give you the professional service you deserve. By purchasing through your local dealer, you will not only be getting a premium mowing experience, but your own trusted mowing advisor.



UNLOCK THE BEST LOOKING LAWN To get the best looking lawn in the neighborhood, you need a Simplicity tractor or zero-turn mower with our signature Free Floating™ Mower Deck. This exclusive mower deck features the ability to follow the contours of your lawn, has infinite height-of-cut control, and can pivot with front axle for a precise cut. The full-width rear rollers provide a smooth finish allowing you to unlock the secret to ballpark lawn striping.



QUICK HITCH™
REMOVAL SYSTEM
Easily detach the mower
deck without using any

deck without using any tools to clean or sharpen your blades and interchange other attachments.



ELECTRIC
HEIGHT-OF-CUT

Allows you to change the height of your mower deck to adapt to changing grass conditions with just the touch of a switch.



LAWNSTRIPES: "I bought a new Broadmoor™ with 50-inch deck last year. It cuts beautifully, drives nicely and nothing has gone wrong in just over 40 hours use for lawn cutting and autumn leaf mulching. My Broadmoor seems well made and is at least as good in that respect as my last machine, a 2005 Regent.™ The extra cutting width and stronger frame are welcome steps up for me. Cutting and striping are excellent, and the electric height adjustment is very convenient."



TEXT FOR INFORMATION

To learn more about our products and what customers have to say, be sure to look for a "text to" number on each model's page. Simply text the number with the appropriate model name and you will be directed to that Simplicity product review page.



JB FROM MA: "My new Conquest™ is a work of art. The traction control is AMAZING. Great turning radius. Tach, fuel gauge, and height-of-cut all on the color dashboard. PLUS, after the cut, you just put the blower on the deck and its clean. No hidden pockets that catch grass. Orlando's garage gave me a test ride and answered all my questions."



SIMPLICITY MAN: "I upgraded from a Conquest to a Prestige™ last fall (2018). Mainly for the integrated hydraulic lift to operate my snow blower during the winter. I was very pleased with the performance of the hydraulic lift. This spring I added the Turbo Blower and Clean Sweep (3) bag grass catcher to the 52-inch deck. It has worked flawlessly. My yard looks great with this attachment. The tractor has worked flawlessly. The fuel injected engine starts right up and ran great in the cold during the winter. It has plenty of power to run the mower and turbo blower in our heavy, wet grass conditions this spring. Very pleased again with my Simplicity tractor and attachments."



SIMPLICTY DELIVERS BEAUTIFUL BALL PARK STRIPES

To learn how to achieve a professional grade lawn, visit SIMPLICITYMFG.COM/STRIPING

PREMIUM EXPERIENCE Designed to deliver a beautiful cut lawn Simplicity Mowers offer high-quality and exclusive features like the Free Floating Mower Deck with stripe laying rollers, suspension comfort system, and a world class dealer network.

NEXT LEVEL COMFORT & CUT Taking your mowing comfort and performance to the next level, Simplicity owners can enjoy a smoother ride with suspension¹ and premium cut performance with high-quality mower decks.

THE BEST MOWER FOR YOU

LAWN TRACTORS

OR

ZERO TURN MOWERS





MOWING

DECK







- Easy, Straightforward Operation
- Premium Mowing Experience
- Great for Properties with Various Topographies
- Combination of Comfort and Performance
- Variety of Ground Engaging Attachments²





STEERING



COMPACT TO COMMERCIAL MOWING DECKS



- High Quality, Durable Components
- Nimble Maneuverability
- Best for Flat Properties or Intricate Landscaping
- Easily Cuts Large Lots Quickly and Efficiently
- Premium Suspension Comfort System

Note: features vary by model, see full product specifications for details Results of suspension depend on grass/yard conditions. Featured on select models only. See specifications for details.











MASTER THE CONTOURS OF YOUR LAWN With Simplicity quality and durability, the Regent does more than provide you with the essentials. These lawn tractors offer reliable Briggs & Stratton® Engines, rugged mower decks and optional comfort-enhancing rear suspension.

REAR SUSPENSION

Feel 25% less impact¹ than a tractor without suspension.

FREE FLOATING MOWER DECK

The exclusive Free Floating Mower Deck follows the contours of your lawn to give a beautiful, scalp free cut.

- Electric PTO Engagement
- Foot Operated Automatic Transmission
- Easy-to-Use Dash Controls
- Cruise Control
- LED Headlights
- Steel Front Bumper
- All Steel Hood Construction



Adapt to changing grass conditions with the simple touch of a switch.

QUICK HITCH™ DECK

Easily remove the mower deck without tools for simple cleaning, blade sharpening, and attachment hook up.

- Tight, 14-inch Turning Radius
- - 42 inches

23 gross hp² 724cc Briggs & Stratton

Professional Series V-Twin Fabricated Mower Deck with Limited Lifetime Warranty³

44 inches 25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin



25 gross hp²

48 inches

724cc Briggs & Stratton Professional Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty³



48 inches 25 gross hp²



724cc Briggs & Stratton Professional Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty³

38 inches 23 gross hp²

724cc Briggs & Stratton Professional Series[™] V-Twin

> For attachments, please see pages 22-23. For a full list of specifications please see pages 24-25.



BRING COMFORT AND PERFORMANCE TO YOUR LAWN Can a lawn

tractor be both high-performance and comfortable? The Simplicity Broadmoor answers this question with a definite "YES!" With its unique Free Floating Mower Deck, rear suspension and breathable ergonomic mesh seat, mowing the lawn will never feel like a chore again.

SCS™ The exclusive rear Suspension Comfort System™ reduces the impact felt at faster speeds.

POWER STEERING

Reduce steering effort for a more enjoyable cutting or plowing experience.

ELECTRIC HEIGHT-OF-CUT Easily adjust the cutting height with the simple touch of a switch.

- Foot Operated **Automatic Transmission**
- High-Speed Tuff Tora® Transmission (25/48 & 25/52 models only)

44 inches 23 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

48 inches 23 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³



- · Quick Hitch Deck Removal System
 - 50 inches 25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

- Mesh Seat
- Tight, 18-inch Turning Radius
- Cast-Iron Pivoting Front Axle

48 inches 25 gross hp²

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³

BRIGGS & STRATTON ENGINE

Featuring ReadyStart® no choke starting system for easy car-like starts. Complete with a 3-year limited warranty.3

ACT™ Maintain superior traction in all operating conditions with Automatic Controlled Traction.

FREE FLOATING MOWER

DECK The exclusive Free Floating Mower Deck follows the contours of your lawn to give a beautiful, scalp free cut.

- Cruise Control
- Integrated Hydraulic Lift (25/52 model only)
- LED Headlights





724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³



¹Results of Suspension Comfort System depend on grass/yard conditions

²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton

³See operator's manual or www.simplicitymfg.com for complete warranty details. ⁴Go to www.simplicitymfg.com for terms and privacy information.



cut your lawn? The Simplicity Conquest does. Engineered to be compatible with a full line of attachments, it's more than just a mower. The Quick Hitch Deck Removal System lets you easily remove the mower deck, so the Conquest can be that helping hand in your yard.

> SCS™ The exclusive rear Suspension Comfort System reduces the impact felt at faster speeds.

DURABLE TRANSMISSION

The Tuff Torq® highspeed transmission with differential lock offers a hydrostatic drive for an automotive-like feel.

- · Differential Lock, Locks Rear Wheels for Maximum Traction
- Free Floating Mower Deck
- LED Headlights

50 inches 25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin with EFM



· Quick Hitch Deck Removal System

52 inches 25 gross hp²



Commercial Series V-Twin with EFM

Power Steering Fabricated Mower Deck with Limited Lifetime Warranty³

BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Electronic Fuel Management (EFM) for automotive-style starting. A tough engine that's ready for anything.

ACT™ Maintain superior traction in all operating conditions with Automatic Controlled Traction.

DELUXE INSTRUMENT PANEL

The panel includes push button starting, fuel gauge, tachometer with "best cut" indication and maintenance reminders providing a premium experience.

- · Power Steering
- Integrated Hydraulic Lift



• Tight, 18-inch Turning Radius





garden tractor with impressive power, performance, control, exciting design and Simplicity durability. Starting with Automatic Controlled Traction, a powerful Briggs & Stratton Engine, power steering, and cruise control, the Prestige begs to be driven in all seasons.

> **SCS** The exclusive rear Suspension Comfort System reduces the impact felt at faster speeds.

PRECISION TURNING

18" turning radius to navigate intricate landscaping.

- Hydraulic Attachment Lift
- Free Floating Mower Deck

50 inches 27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin with EFI

- · Quick Hitch Deck
- Tilt Steering Wheel & Cruise Control
- Removal System
- · Power Steering
- · High-Speed Tuff Torq Transmission

For attachments, please see pages 22-23.

BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Simpler and smarter EFI (Electronic Fuel Injection) allows for all the benefits of reliable starting, fuel efficiency, and optimized power without sacrificing reliability and performance.

HYDRAULIC POWER ATTACHMENT LIFT

The dash-mounted hydraulic lift-lever makes for easy transport of all attachments.

COMFORTABLE RIDE

18" high back seats with arm rests for superior rider comfort.

· Differential Lock, Locks Rear Wheels for Maximum Traction

52 inches 27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin with EFI

Fabricated Mower Deck with Limited Lifetime Warranty³



¹Results of Suspension Comfort System depend on grass/yard conditions.

²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

³See operator's manual or www.simplicitymfg.com for complete warranty details.

⁴Go to www.simplicitymfg.com for terms and privacy information.



A SUBCOMPACT WHEN YOU HAVE BIG JOBS TO DO The Legacy XL gives you the power and reliability you need to get big jobs done. Shift between 2WD and 4WD on-the-go, and choose from a long list of attachments to accomplish any task. The exclusive Free Floating Mower Deck gives you the beautiful cut you expect.

UTILITY LIGHT

Conveniently adjusts directions to add just the right amount of light to your project.

OPERATOR COMFORT

Deep-cushioned commercialstyle 18-inch high-back seat with armrests provide maximum comfort.

HYDRAULIC CONTROL

LEVER The all-in-one hydraulic joystick lever is integrated into the dash to easily raise, lower or steer attachments.





VANGUARD® BIG BLOCK™
ENGINE Electronic Fuel Injection
(EFI) option allows for easy
chokeless automotive-style starting
with cold and hot restarts and
greater fuel efficiency.

DELUXE INSTRUMENT
PANEL An intuitive instrument
panel complete with a fuel

panel complete with a fuel gauge and height-of-cut indicator provides the operator with a premium experience.

52/61 inches (fabricated') 31 gross hp¹

885cc Vanguard BIG BLOCK V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty²

52/61 inches (fabricated¹) 33 gross hp¹

885cc Vanguard BIG BLOCK V-Twin with EFI

4WD Fabricated Mower Deck with Limited Lifetime Warranty² 52/61 inches (fabricated') 33 gross hp¹

885cc Vanguard BIG BLOCK V-Twin with EFI

4WD 540 Rear PTO Fabricated Mower Deck with Limited Lifetime Warranty²



GET MORE DONE WITH ATTACHMENTS.

For full list of attachments, please see pages 22-23.



FRONT-END LOADER Featuring a 500-lb. lift capacity, a 48-inch bucket and a curved boom design, the front-end loader is easily installed and removed, making it the perfect addition to the big chores in your yard.



3-POINT HITCH Category 1 (modified) 3-point hitch and 540 rpm PTO allows operation of heavy rear attachments such as a tiller or rear mower. (3-Point hitch included on 4WD models.)



BACKHOE Hydraulic controls make each implement function efficiently. Backhoe: 9" wide bucket, digs 6.5-ft deep, with a 10-ft reach. Includes stabilizer arms.



61" DRIVE-OVER MOWER DECK A unique drive-over deck design to make installation and removal easy. Manufactured with 10-gauge steel, reinforced side skirts, overlapped welded corners and a steel reinforced edge, this deck ensures durability for the toughest yard conditions. A 52" fabricated mower deck is also available and features a Quick Hitch non-drive-over design. Both decks include a limited lifetime warranty.3



50" TILLER4 The heavy-duty 50" tiller features a heavy-duty gearbox and side shift positioning. With a tilling depth up to 7-inches, this will help you easily prepare a garden for spring planting or plow plant waste back into the soil for winter decomposition.



ADDITIONAL ATTACHMENTS						
60" Snow/Dozer Blade	Soft-Sided Snow Cab	Mulcher Kit (for 52" and 61" mower decks)				
48" Box Scraper/Scarifier ⁴	47" Dual-Stage Snowthrower	Front Weight Carrier				
60" Powered Rotary Broom (requires drive shaft)	Turbo (for 52" and 61" fabricated mower decks)	Rear Weight Carrier				
10-cu. ft. Dump Cart	17-bushel Wide Body Collector Cart (requires turbo)	33-lb. Quick Attach				
Grass Catcher (requires tube hitch and turbo)	350-lb. Ballast Box	50-lb. Quick Attach				
60" Rear Scraper Blade ⁴	Tire Chains	50-lb. Rear Wheel Weights				

³See operator's manual or www.simplicitymfg.com for complete warranty details.

⁴Requires 3-pt hitch.

¹Results of Suspension Comfort System depend on grass/yard conditions.

²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton

⁵Go to www.simplicitymfg.com for terms and privacy information.



UNRIVALED CUTTING, COMFORT & UTILITY Along with the exclusive Suspension Comfort System and commercially-inspired features such as fully-welded frames and rugged front axles, the Courier Residential Zero Turn Mower also brings new levels of utility to the yard through an integrated rear cargo bed¹ (standard on most models).

ADDED VERSATILITY The

integrated rear cargo bed¹ along with other great features make it a versatile workhorse in a category of its own.
(Available on select models)

DURABLE MOWER DECKS

Rugged fabricated 36", 42", 48", and 52" mowers decks are made to last with reinforced top, side, corners, and front to ensure excellent cut quality and durability. Plus, the new 36" compact deck makes getting through a standard fence gate a breeze.




DEPENDABLE ENGINES Choose between a smooth and efficient Briggs & Stratton Professional Series V-Twin Engine featuring ReadyStart no choke starting system or a Kawasaki® V-Twin Engine.

- Hydro-Gear® EZT® or ZT-2800® Transaxles
- Fully Welded Steel Frame
- Thick-Walled Pivoting Front Axle (Available on Select Models)

SCS The exclusive rear Suspension Comfort System reduces the impact felt at faster speeds by 25%.² (Available on select models)

HEIGHT-OF-CUT The footassisted height-of-cut allows for easy adjustment between positions ranging from 1.5 to 4.5 inches.



36 inches 19 gross hp⁵

500cc Briggs & Stratton Professional Series OHV

Fabricated Mower Deck with Limited Lifetime Warranty³

36 inches 18 gross hp4

603cc Kawasaki FR600V V-Twin OHV

Fabricated Mower Deck with Limited Lifetime Warranty³

42 inches 21.5 gross hp4



726cc Kawasaki FR651 V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty³

42 inches 23 gross hp5

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Fabricated Mower Deck with Limited Lifetime Warranty³

36 inches 23 gross hp5

724cc Briggs & Stratton Professional Series V-Twin OHV

Fabricated Mower Deck with Limited Lifetime Warranty³

48 inches 21.5 gross hp4



726cc Kawasaki FR651 V-Twin

Integrated Cargo Bed¹ Fabricated Mower Deck with Limited Lifetime Warranty³

48 inches 23 gross hp5

724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Integrated Cargo Bed¹ Fabricated Mower Deck with Limited Lifetime Warranty³

44 inches 23 gross hp5

52 inches

724cc Briggs & Stratton Professional Series V-Twin OHV

21.5 gross hp4 726cc Kawasaki FR651 V-Twin

Integrated Cargo Bed¹ Fabricated Mower Deck with Limited Lifetime Warranty³

52 inches 25 gross hp5



724cc Briggs & Stratton Professional Series V-Twin with ReadyStart

Integrated Cargo Bed¹ Fabricated Mower Deck with Limited Lifetime Warranty³



¹⁵⁰ lb. capacity, do not overload; do not carry passengers. Standard on most models. See operator's manual for details.

Results of Suspension Comfort System depend on grass/yard conditions.

3See operator's manual or www.simplicitymfg.com for complete warranty details.

4All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.

5All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

[°]Go to www.simplicitymfg.com for terms and privacy information.



PERFORMANCE Commercially-inspired features such as durable Hydro-Gear Transaxles and a tough Briggs & Stratton Engine make the Contender XT a powerfu

Transaxles and a tough Briggs & Stratton Engine make the Contender XT a powerful performer that leaves behind an impressively cut yard for all to see.

SCS™ Front and rear wheel suspension delivers a smooth ride which takes the pain out of your yard work.

HEAVY-DUTY MOWER

DECK Experience a great cut with the added durability of a welded mower deck. Includes a limited lifetime warranty.¹

- Hydro-Gear ZT-3200 Transaxles
- 0-9 mph Forward Speed

48 inches 25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

- High Back Seat with Arm Rests
- 10-Position Foot-Assisted Height-of-Cut

52 inches 25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

 Mower Deck Rear Roller Bar

61 inches 25 gross hp²



724cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Designed to perform under harsh, demanding conditions, the Commercial Series Engine provides ultimate dust and debris protection for extended engine life.

CONTROL PANEL All of

your controls are conveniently located at your fingertips, including: key switch, choke, throttle, electric PTO switch, cup holder and fuel gauge.

HYDRO-GEAR® ZT-3200® TRANSAXLES

Designed for larger commercial jobs, ZT-3200 Transaxles deliver continuous torque, smooth speed and bi-directional control.





YOU HAVE A CHALLENGE, MEET THE SOLUTION You have a big yard, big trees and a big job ahead of you... it's time you had the mower that's up to the task. Built with a powerful commercial-grade engine, comfortable suspension system and the choice of a 52-inch or 61-inch fabricated mower deck, the Citation XT makes short work of any big job.

SCS Commercial-style mowing with a front- and rear-wheel suspension system, comfortable high-back seat, adjustable steering levers, convenient controls and padded footrests.

FABRICATED MOWER

DECK Made from 10-gauge steel with reinforced top, side skirts, corners and a steel front edge to ensure durability and a quality cut. Includes a limited lifetime warranty.1



52 inches 27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

61 inches 27 gross hp²



810cc Briggs & Stratton Commercial Series V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty¹

- Adjustable Twin-Lever Steering Controls for Comfortable Operation
- Premium Adjustable Seat with Armrests

BRIGGS & STRATTON COMMERCIAL SERIES ENGINE

Designed to perform under harsh, demanding conditions, the Commercial Series Engine provides ultimate dust and debris protection for extended engine life.

CONTROL PANEL

Every control is right at your fingertips: key switch, choke, throttle, electric PTO switch, hour meter, cup holder and fuel gauge.

HYDRO-GEAR® ZT-3400® TRANSAXLES

Designed for larger commercial applications, Hydro-Gear ZT-3400 Transaxles deliver up to 225 ft-lbs of continuous torque for smooth speed and control.

- 0-10 mph Forward Speed
- Commercial-Grade Mower Deck Spindles



 ¹ All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.
 ² See operator's manual or www.simplicitymfg.com for complete warranty details.
 ³Go to www.simplicitymfg.com for terms and privacy information.



mowing getting the job done quickly, comfortably, and beautifully. With its commercial features, you will have a professional looking yard in no time.

SCS™ Cobalt's four-wheel suspension system gives you a smoother ride at faster mowing speeds.

FABRICATED MOWER

DECK An innovative cutting system has the center point offset, allowing for supreme cutting and excellent discharge. A reinforced leading edge provides protection where it's needed most.

FOOT-ASSISTED HEIGHT-OF-CUT The easy-to-adjust, height-of-cut control can adjust cutting height from 1.5-inches to 5-inches.



VANGUARD 810 ENGINE WITH OIL GUARD™ Vanguard

Commerical Engines with the Oil Guard System are designed for you to go further, cut longer, and maximize productivity. The 500hour oil change interval with the Oil Guard System means less time changing the oil and more time mowing (on select models).

HYDRO-GEAR® ZT-4400™ TRANSAXLES The ZT-4400 transaxles are commercially engineered. Featuring cooling

fans and a robust planetary gear reduction.

CONTROLS Every control is tailored to commercialstyle demands: easy-to-use, conveniently located and extremely durable.

61 inches 26 gross hp



810cc Vanguard V-Twin

Fabricated Mower Deck with Limited Lifetime Warranty²

61 inches 28 gross hp1



810cc Vanguard V-Twin with Oil Guard and EFI

Fabricated Mower Deck with Limited Lifetime Warranty²

- Large 24" Rear Tires
- 0-10 mph Forward Speed Makes Quick Work of Any Job
- Twin 5.5 Gallon Fuel Tanks for Long Run Time (11-Gallon Capacity)
- · High-back Seat with Armrests
- Foldable Roll Over Protection System (ROPS)



¹All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton. ²See operator's manual or www.simplicitymfg.com for complete warranty details.



This drive system features independent, commercial Hydro-Gear® ZT-5400 Powertrain® Transaxles for improved dependability and increased performance. Large 26" drive tires allow for greater traction, smoother ride and less turf damage. The high quality

deck mounts and leveling systems means your mower will cut a beautiful lawn for

years to come.

SCS™ Adjustable Rear Coil-Over Shocks & four-wheel suspension for a smoother ride at faster speeds.

SMOOTH TRACTION

Wide, 26" rear turf tread tires for a smooth ride and less turf damage.



VANGUARD BIG BLOCK

For the most challenging applications, this Big Block engine with EFI has been expertly engineered to deliver the dependability to get more done in less time. Plus, The 500-hour oil change interval with the Oil Guard System means less time changing the oil and more time mowing.

COMMERCIAL GRADE

Hydro-Gear ZT-5400 transaxles for year after year durability.

HEAVY DUTY

Fabricated mower deck, for a lifetime of mowing.

61 inches 37 gross hp¹



72 inches 37 gross hp¹



Fabricated Mower Deck with Limited Lifetime Warranty²

with Oil Guard and EFI

- Operator Comfort with Superior Suspension, High-Back Seats and Armrests
- 16-Position Height-of-Cut Adjustment Allows You to Adjust to Specific Height Needs
- Foldable Roll Over Protection System (ROPS)
- Long Run Time with Twin 5.5 Gallon Fuel Tanks



Fabricated Mower Deck with Limited Lifetime Warranty²

993cc Vanguard BIG BLOCK

with Oil Guard and EFI

MORE THAN JUST MOWING.

There's a lot more to yard care than just cutting the grass. Simplicity Attachments help you collect, haul and sweep your way to a beautiful yard. Compatibility varies by model, see complete fit-up guide on page 23.









TURBO ATTACHMENT

TRIPLE BAG GRASS CATCHER

TWIN BAG GRASS CATCHER

WIDE BODY CART COLLECTOR









FRONT & REAR WEIGHTS WITH CARRIER

50" TILLER

MULCHER KITS

DUMP CART









48" DOZER BLADE

60" DOZER BLADE

HEADLIGHT KIT

CARGO BED² & CARGO BED CLIPS



REAR WHEEL WEIGHTS & TIRE CHAINS



42" SINGLE-STAGE SNOWTHROWER



42" & 47" TWO-STAGE SNOWTHROWER



SOFT SNOW CAB

TRACTORS		REGENT	BROADMOOR	CONQUEST	PRESTIGE	LEGACY XL
	ATTACHMENT					
	Mulcher Kit	38", 42", 44", 48"	44", 48", 50", 52"	50", 52"	50", 52"	52", 61"
CATCLIEDC 0	Twin Catcher ¹	6.5-bu. (38", 42" mower)		N,	/A	
CATCHERS & COLLECTION SYSTEMS	Triple Catcher ¹	10-bu. (44", 48" mower)	10-bu. (44", 48", 50" mower)	10-bu.	10-bu.	10-bu.
	Wide Body Cart Collector	N/A	1 <i>7-</i> bu.	1 <i>7-</i> bu.	1 <i>7-</i> bu.	1 <i>7-</i> bu.
	Turbo Attachment	38", 44", 48" mower	44", 48", 50", 52" mower	50", 52" mower	50", 52" mower	52", 61" mower
	Dump Cart	10-cu. ft.	10-cu. ft.	10-cu. ft.	10-cu. ft.	10-cu. ft.
	Tire Chains	Available	Available	Available	N/A	Available (2WD Only)
	Front & Rear Weights	31-lb. (rear)	31-lb. (rear)	50-lb. (rear)	50-lb. (rear)	50-lb. (rear)
MULTIPURPOSE ATTACHMENTS	Front & Rear Weight Carriers	Available (rear)	Available	Available	Available	Available
	Hitch for Tillers, Box Scraper, Rear Grading Blade, Post Hole Digger, Plows & Drags	N/A				3-Point Category 1 (Modified)
	Single-Stage Snow Blower	42"	42"	42"	42"	N/A
snow removal attachments	Two-Stage Snow Blower	N/A	42"	42"	42"	47" Shaft Drive
	Soft Side Snow Cab	Available	Available	Available	Available	Available
	Tiller	36" Gas-Powered Tow-Behind	36" Gas-Powered Tow-Behind	36" Gas-Powered Tow-Behind	36" Gas-Powered Tow-Behind	50" Shaft Drive; Requires 3-Point Hitch & Rear PTO
GROUND	Dozer Blade	42" Snow Blade Only	48"	48"	48"	60" Hydraulic
ENGAGING ATTACHMENTS	Box Scraper/Scarifier ³		N,	/ A		48"
	Powered Rotary Broom		N/	/ A		60"
	350-lb. Ballast Box		N/	/ A		
	Dethatcher	40" Tow-Behind	40" Tow-Behind		N/A	
ZERO-TURN MO\	WERS	COURIER	CONTENDER XT	CITATION XT	COBALT	COBALT LE
	ATTACHMENT					
	Mulcher Kit	36", 42", 44", 48", 52"	52", 61"	52", 61"	61"	61", 72"
CATCHERS & COLLECTION SYSTEMS	Twin Catcher ¹	6.5-bu (36", 42", 44", 48", 52" mower)	8-bu.		N/A	
0.10.12.710	Triple Catcher ¹	N/A	N/A	10-bu.	10-bu.	10-bu.
	Turbo Attachment	52"	Available	Available	Available	61"
	Hitch Kit	36"	N/A	Available	Available	Available
	Headlight Kit	Available	Available	Available	Available	Available
	Arm Rest Kit	N/A	Standard	Standard	Standard	Standard
MULTIPURPOSE ATTACHMENTS	Cargo Bed ²	Available (Standard Most Models)		N,	/ A	
	Cargo Bed Rhino Grips	Compatible with Cargo Bed ² (36", 42", 48", 52")		N,	/ A	

Note: Attachments for previous year models and additional attachments through allied equipment manufacturers not shown may be available. Some attachments require additional installation components (i.e. front weights for catchers). Please see dealer for details.

1 Select collection systems are available with or without a turbo.

2 50-lb. (Courier) or 100-lb. (Contender) capacity, do not overload; do not carry passengers. Standard on most models. See operator's manual for details.

3 Requires 3-point hitch.

MODEL	23/38	23/42	Regent 25/48	25/44	25/48
ENGINE	2691454	2691455	2691456	2691668	2691669
		D ·	8 CL II D [· IC ·	TM \/T . •	
Make / Model		Briggs (& Stratton Professional Serie	es V-IWIN	
Start Type	00	1 1 / 0	Key	05 11/0	
Power Rating / Cylinders	23 gros	ss hp1 / 2	70.4	25 gross hp ¹ / 2	
Engine Displacement (cc)	724				
Choke / Throttle			Single-Lever		
Fuel Tank Capacity (U.S. Gallons)	3.5				
Battery (cca)	230				
TRANSMISSION					
Transmission Type			Tuff Torq® K46		
Differential			Hydro		
Speed – Fwd / Rev			0-5.5 / 0-3.0		
Automatic Controlled Traction™			N/A		
4WD			N/A		
Brake			Disc		
CHASSIS					
Frame Steel			12-Gauge		
Front Axle			Cast-Iron		
Front Tires (inches)			15 x 6 Turf		
Rear Tires (inches)	20 x 8 / Turf	20 x 10 / Turf	13 x 0 1011	22 x 10 / Turf	
	20 x 0 / 1011	20 x 10 / 1011		22 X 10 / 1011	
Attachment Lift			Manual		
Seat		15" Mid-Back		15" Branded	d Cut & Sew
Suspension Comfort System™		N/A		Re	ear
MOWER DECK					
Cutting Width (inches)	38	42	48	44	48
Mower Deck Type	Deep Profile	Fabr	ricated	Deep Profile	Fabricated
Height-of-Cut (inches)	1.75 - 4	1.5 - 3.75	1.5 - 4	1.5 - 3.75	1.5 - 4
Height-of-Cut Positions			Infinite / Electric		
# of Blades		2		3	
Blade Engagement			Electric PTO Switch		
Rear Rollers			Full-Width Striping		
Mower Removal			Quick Hitch™		
Mower Steel Gauge	12-0	Gauge	10-Gauge	12-Gauge	10-Gauge
Spindle			Cast-Aluminum	, ,	
Washout Port	N/A	Stai	ndard	N/A	Standard
FEATURES	,			,	
Cruise Control			Standard		
Steering			Manual		
Headlights			LED		
Hour Meter			Standard		
Fuel Level Indicator			Sight Gauge		
12 Volt DC Outlet			N/A		
Cup Holder			Standard		
Hand Grip			N/A		
Deluxe Instrument Panel			N/A		
Turning Radius (inches)			14		
Roll Over Protection System (ROPS)			N/A		
DIMENSIONS			19/4		
	71 × 50 × 46	71 × 53 × 46	71 × 59 × 46	72 x 54 x 47	72 x 59 x 4
L x W x H (inches) LIMITED WARRANTY ²	/ I X 30 X 40	/ I X J3 X 40	/ 1 X JY X 40	/ 2 X 34 X 4/	/ Z x 39 x 4.
			2V		
Residential			3-Years		
Commercial	N 1 /A	1.6	90-Days	N 1 /A	Left in
Fabricated Mower Deck	N/A	Life	etime	N/A	Lifetime

		Broadmoor				RACTOR SPECIFICATION	
23/44 2691670	23/48 2691671	23/50 2691672	25/48 2691673	25/52 2691674	25/50 2691675	25/52 2691676	
	D: 0 C: 11 D	(· /D C I I I I I I I I I		D: 0 C: 11 @ C		
	Briggs & Stratton P	rofessional Series™ V-Tw	in w/ KeadyStart®			ercial Series V-Twin w/ EFM	
	Push Button					Button	
23 gross hp ¹ / 2			s hp1 / 2			ss hp ¹ / 2	
		724				724	
No Choke	Single-Lever and Cold Start		No Choke		No	Choke	
	Sidii	3.6				3.6	
		230			3	350	
	T. ((T		T. ((T.) @ 1//	0.111.1.0	T ((T @ L//	4.11.1.0	
	Tuff Torq® K57		luff lorg® K6	2 High Speed		o6 High Speed	
		Hydro			· · · · · · · · · · · · · · · · · · ·	ifferential Lock	
	0-5.8 / 0-3.5		0-6.7	/ 0-4.0		/ 0-5.0	
		Standard			Sta	ndard	
		N/A			<u> </u>	J/A	
		Disc				Disc	
		10-Gauge			10-0	Gauge	
		Cast-Iron			Ca	st-Iron	
15 x	6 / Turf		16 x 6.5 / Turf			o.5 / Turf	
	22 x 10	/ Turf	,	23 x 10.5 / Turf		0.5 / Turf	
	Man			Integrated Hydraulic, Dash Lever			
		High-Back Mesh			High-Back Mesh		
	N/A	- ngn Bask / Nosil	SCS ^T	™ (Rear)	SCS-2™ (Rear)	SCS-2™ (Rear)	
	1 1,7 1			(1.0.01)	(1.00.)	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
44	48	50	48	52	50	52	
Deep Profile	Fabricated	Deep Profile		icated	Deep Profile	Fabricated	
· · · · · · · · · · · · · · · · · · ·	.5 - 4	· · · · · · · · · · · · · · · · · · ·	5 - 4	1.0 - 4	<u> </u>	0 - 4	
	.5 4	Infinite / Electric	J -	1.0 4		/ Electric	
		3			1111111110	3	
		Electric PTO Switch			Cl:-	TO Switch	
		Full-Width Striping				th Striping	
		Quick Hitch™	I			k Hitch™	
12-Gauge	10-Gauge	12-Gauge	10-0	Gauge	12-Gauge	10-Gauge	
	Cast-Alu			Commercial Aluminum	Cast-Aluminum	Commercial Aluminum	
		Standard			Sta	ndard	
		Standard				ndard	
Manual			wer			ower	
		LED				ED	
		Standard				ndard	
	El	ectric Gauge / On Das	sh			ge / On Dash	
		Standard			Standard		
		Standard			Standard		
		Standard			Sta	ndard	
		Standard			Sta	ndard	
		18				18	
		N/A			N	I/A	
75 x 54 x 47	75 x 59	× 47	76 x 59 x 47	76 x 66 x 49	79 x 59 x 49	79 x 66 x 49	
		3-Years			2\	/ears	
		90-Days				-Days	
N1/A	Lifetime	·	l-f-	etime		-Days Lifetime	
N/A	Liletime	N/A	Life	enne	N/A	Lifetime	

		Prestige	
MODEL	27/50 2WD 2691677		27/52 2WD 2691678
ENGINE			
Make / Model	Briggs & S	stratton® Commercial Series V	/Twin w/ EFI
Start Type		Push Button	
Power Rating / Cylinders		27 gross hp1 / 2	
Engine Displacement (cc)		810	
Choke / Throttle		No Choke	
Fuel Tank Capacity (U.S. Gallons)		3.6	
Battery (cca)		350	
TRANSMISSION			
Transmission Type		Tuff Torq® K72 High Speed	4
Differential		Hydro w/Differential Lock	
Speed - Fwd / Rev		0-8.7 / 0-3.0	
Automatic Controlled Traction™		Standard	
4WD		N/A	
Brake		Disc	
CHASSIS		<i>Dioc</i>	
Frame Steel		10-Gauge	
Front Axle		Cast-Iron	
Front Tires (inches)		16 x 6.5 / Turf	
Rear Tires (inches)		23 x 10.5 / Field Trac	
Attachment Lift		ntegrated Hydraulic, Dash Le	Mar
Seat		18" Cut & Sew (Armrest Optic	
Suspension Comfort System™		SCS-2 [™] (Rear)	Onj
MOWER DECK		ocoz (kedi)	
Cutting Width (inches)	50		52
Mower Deck Type	Deep Profile		Fabricated
Height-of-Cut (inches)	Deep Floille	1.0 - 4	Tablicalea
Height-of-Cut Positions		Infinite / Electric	
# of Blades		3	
Blade Engagement		Electric PTO Switch	
Rear Rollers		Full-Width Striping	
Mower Removal		Quick Hitch™	
Mower Steel Gauge	 12-Gauge	QUICK I IIICII	10-Gauge
Spindle	Cast-Aluminum		Commercial Aluminum
Washout Port	Cusi Alominom	 Standard	Commercial Albiminim
FEATURES		Jidiladia	
Cruise Control		Standard	
Steering		Power	
Headlights		LED	
Hour Meter		Standard	
Fuel Level Indicator		Digital Gauge / On Dash	
12 Volt DC Outlet		Standard	
Cup Holder		Standard	
Hand Grip		Standard	
Deluxe Instrument Panel		Standard	
Turning Radius (inches) Roll Over Protection System (ROPS)		16 N/A	
DIMENSIONS		1 N/ A	
	70 50 40		70 4 4 40
L x W x H (inches)	79 x 59 x 49		79 x 66 x 49
LIMITED WARRANTY ²		2)/	
Residential		3-Years	
0		000	
Commercial Fabricated Mower Deck	N/A	90-Days	Lifetime

	Legacy XL	GARDEN TRACTOR SPECIFICATIONS
31 2WD	33 4WD	33 4WD / 540 PTO
2691522	2691523	2691524
Vanguard® BIG BLOCK™ V-Twin		OCK™ V-Twin w/ EFI
01 1 1 6	Key	
31 gross hp¹ / 2		s hp¹ / 2
Separate Choke & Throttle	885	Choke
Separate Choke & Infottle	6	Choke
	500	
Tuff Torg® K92	Tuff Tora® K92 (rear)	Shaft-Driven Front Axle
Hydro w/ Dif		Hydro w/ Differential Lock & 540 PTO
Tryaic ii, bii	0-9 / 0-5.5	Tryale W. Billeletina Book & 6 16 116
	Standard	
N/A		ndard
	Internal Wet Disc	
	7-Gauge	
	Cast-Iron	
18 x 8 / 4-Ply Turf	18 x 8 / 4-	Ply Field Trac
26 x 12 / 4-Ply Turf	26 x 12 / 4	-Ply Field Trac
	Hydraulic	
	18" High-Back w/ Armrests	
	N/A	
	52" or 61"	
	Fabricated (61" Features Drive-Over Design)	
	1.5 - 4	
	Infinite / Electric	
	3	
	Electric PTO Switch	
	Full-Width Striping	
	Quick Hitch™	
	10-Gauge	
	Commercial-Aluminum	
	N/A	
	Standard	
	Power	
	LED	
	Standard Co. D. I	
	Digital Gauge / On Dash	
	Standard Standard	
	Standard Standard	
	Standard Standard	
28		/ 55 (in 4VVD)
20	Folding	/ 55 (111 7445)
	Tolding	
81 x 45 x 82	85 x z	47 × 85
31 X 13 X 32		
	3-Years	
	1-Year / 3-Year Limited	
	Limited Lifetime	
	Limited Lifemine	

MODEL	19/36	23/36	23/44	18/36	21.5/42
ENGINE	2691501	2691519	2691502	2691520	2691658
Make / Model	500cc Briggs & Stratton Professional Series™ OHV	724cc Briggs & Stratto V-Twir	on Professional Series™ OHV	Kawasaki® FR600 V-Twin OHV	Kawasaki® FR651 V-Twin
Start Type	OHV		Key	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	7 11111
Power Rating / Cylinders	19 gross hp ² / 1	23 gross	hp ² / 2	18 gross hp¹ / 2	21.5 gross hp ¹ / 2
Engine Displacement (cc)	500			603	726
Choke / Throttle	Choke-A-Matic		Prime, No Choke	Separate Cho	
Fuel Tank Capacity (U.S. Gallons)	Crioke-A-7VidilC	kedaysian110	3.0	Separate Chi	oke & Miolile
			230		
Battery (cca) TRANSAXLES			230		
			11 1 C @ F7T@		
Type		040	Hydro-Gear® EZT®		070 / 0 4 0
Speed - Fwd / Rev		0-6.0 ,			0-7.0 / 0-4.0
Brake CHASSIS			Integrated		
			10.0		
Frame			12-Gauge Steel		Pivoting 11-Caugo
Front Axle		Steel	Fixed		Pivoting 11-Gauge Welded Steel
Front Tires (inches)		11 x 4			
Rear Tires (inches)	18 x 0	6.5-8	18 x 8.5	18 x 6.5-8	20 x 8
Seat		High-Ba	ck Mesh		
Suspension		No	one		Front
MOWER DECK					
Cutting Width (inches)	3	6	44	36	42
Mower Deck Type	Fabric	cated	Deep Profile	Fabri	cated
Height-of-Cut (inches)			1.5 - 4.5		
Height-of-Cut Positions		7-Foot	Assist		
Number of Blades	2)	3	4	2
Blade Engagement			Electric PTO Switch		
Mower Removal			Frame Mounted		
Anti-Scalp Wheels			Rear Roller		
Spindle FEATURES			Cast-Aluminum		
FE VILIDES					
Cargo Bed ³	None		Opti	ional	
Cargo Bed ³ Steering	None		Twin-Levers	ional	
Cargo Bed ³ Steering Headlights	None		Twin-Levers Optional	ional	
Cargo Bed ³ Steering Headlights Fuel Level Indicator	None		Twin-Levers Optional N/A	ional	
Cargo Bed ³ Steering Headlights Fuel Level Indicator Cup Holder	None		Twin-Levers Optional N/A Standard	ional	
Cargo Bed ³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper	None		Twin-Levers Optional N/A Standard Standard	ional	
Cargo Bed³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper Roll Over Protection System (ROPS)	None		Twin-Levers Optional N/A Standard	ional	
Cargo Bed³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper Roll Over Protection System (ROPS) DIMENSIONS			Twin-Levers Optional N/A Standard Standard N/A		
Cargo Bed³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper Roll Over Protection System (ROPS) DIMENSIONS L x W x H (inches)	None 66 x 50 x 43	70 x 50 x 43	Twin-Levers Optional N/A Standard Standard	70 x 50 x 43	72 x 55 x 42
Cargo Bed³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper Roll Over Protection System (ROPS) DIMENSIONS L x W x H (inches) LIMITED WARRANTY⁴		70 x 50 x 43	Twin-Levers Optional N/A Standard Standard N/A 70 x 54 x 43		72 x 55 x 42
Cargo Bed³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper Roll Over Protection System (ROPS) DIMENSIONS L x W x H (inches) LIMITED WARRANTY⁴ Residential		70 x 50 x 43	Twin-Levers Optional N/A Standard Standard N/A 70 x 54 x 43		72 x 55 x 42
Cargo Bed³ Steering Headlights Fuel Level Indicator Cup Holder Rear Bumper Roll Over Protection System (ROPS) DIMENSIONS L x W x H (inches) LIMITED WARRANTY⁴		70 x 50 x 43	Twin-Levers Optional N/A Standard Standard N/A 70 x 54 x 43		72 × 55 × 42

¹All power levels are stated gross horsepower per SAE J2723 as rated by Kawasaki.
²All power levels are stated gross horsepower at 3600 rpm per SAE J1940 as rated by Briggs & Stratton.

			ZERO TURIN RIDIN	G MOWERS SPECIFICATIONS			
Courier			1				
23/42 2691657	21.5/48 2691660	23/48 2691659	21.5/52 2691662	25/52 2691661			
2071037	2071000	20/100/	2071002	2071001			
D 00 D 1				D 00 D 1			
Briggs & Stratton Professional Series™ V-Twin w/ ReadyStart®	Kawasaki® FR651 V-Twin	Briggs & Stratton Professional Series™ V-Twin w/ ReadyStart®	Kawasaki® FR651 V-Twin	Briggs & Stratton Professional Series™ V-Twin w/ ReadyStart®			
,		Key		,			
00 / 0	01.5	23 gross hp ² / 2	01.5	05 1-2 / 0			
23 gross hp ² / 2	21.5 gross hp ¹ / 2		21.5 gross hp ¹ / 2	25 gross hp ² / 2			
724	726	724	726	724			
No Choke	Separate Choke & Throttle	No Choke	Separate Choke & Throttle	No Choke			
		3.0					
		230					
	Hydro-Gear® EZT®		Hydro-Geo	r® ZT-2800®			
	0-7.0 / 0-4.0		0.8.0	/ 0-4.0			
		Integrated					
		12-Gauge Steel					
		Pivoting 11-Gauge Welded Steel					
		11 x 6					
20 x 8			x 10				
	15" Cut and	Sew (Armrest Option)					
Front		Front o	& Rear				
42	4	8		52			
		Fabricated					
		1.5 - 4.5					
	13	B-Foot Assist					
2		(3				
		Electric PTO Switch					
		Frame Mounted					
Rear Roller		2 Front /	Rear Roller				
		Cast-Aluminum					
Optional		Stan	dard				
ı		Twin-Levers					
		Optional					
	N/A	- Promai	Standard Car	uge / Fuel Tank			
	1 4/ / 1	 Standard	Jidildala Gat	290 / 1001 IGHK			
		Standard Standard					
		N/A					
72 x 55 x 42	72 x 5	9 x 42	72 x č	55 x 43			
		3-Years					
	90-Days						
		Lifetime					
350-lb, capacity, do not overloo	ad; do not carry passengers. Standard on mo	st models. See operator's manual for details.					

³50-lb. capacity, do not overload; do not carry passengers. Standard on most models. See operator's manual for details.

4See operator's manual or www.simplicitymfg.com for complete warranty details. Length of engine warranty coverage varies by manufacturer.

		Contender XT				
MODEL	25/48 5901742	25/52 5901743	25/61 5901744			
ENGINE						
Make / Model	Briggs & Stratton® Commercial Series V-Twin					
Start Type		Key				
Power Rating / Cylinders		25 gross hp ¹ / 2				
Engine Displacement (cc)		724				
Choke / Throttle		Separate Choke & Throttle				
Fuel Tank Capacity (U.S. Gallons)		5.5				
Battery (cca)		300				
TRANSAXLES						
Туре		Hydro-Gear® ZT-3200®				
Speed - Fwd / Rev		0-9.0 / 0-4.0				
Brake		Separate Lever				
CHASSIS						
Frame		11-Gauge Steel				
Front Axle		1.5" x 2" Welded Steel				
Front Tires (inches)		13 × 6.5				
Rear Tires (inches)		22 × 11				
Seat		18" Premium Adjustable with Armrests				
Suspension		Front & Rear				
MOWER DECK						
Cutting Width (inches)	48	52	61			
Mower Deck Type		Fabricated				
Height-of-Cut (inches)		1.5 - 4.5				
Height-of-Cut Positions		15-Foot Assist				
Number of Blades		3				
Blade Engagement		Electric PTO Switch				
Mower Removal		Frame Mounted				
Anti-Scalp Wheels		4 Front / Rear Roller				
Spindle		Cast-Aluminum				
FEATURES						
Cargo Bed²		N/A				
Steering		Twin Levers				
Headlights		Optional				
Fuel Level Indicator		Standard Gauge / Left Hand Console				
Cup Holder		Standard				
Rear Bumper	Standard					
Roll Over Protection System (ROPS)		Fixed				
DIMENSIONS						
L x W x H (inches)	81 x 68 x 68	81 x 7	7 x 68			
LIMITED WARRANTY ³						
Residential		4-Years or 500 Hours, whichever occurs firs	<u> </u>			
Commercial		90-Days				
Fabricated Mower Deck		 Lifetime				
- ADITION OF DOCK	Lieime					

C:	VT			ZERO TURN RIDING MO	
	tion XT		balt	Coba	
27/52 5901 <i>77</i> 9	27/61 5901780	26/61 5901597	28/61 5901748	37/61 5901798	37/72 5901799
	3731733	370.077	57517-10	0,011,70	0.0
		V	Vanguard® BIG BLOCK™		
Briggs & Stratton® Co	ommercial Series V-Twin	Vanguard® BIG BLOCK™ V-Twin	V-Twin w/ EFI	Vanguard® BIG BLOCK™ V-Twin w/ EF	
k	Кеу	Key		Electric	
27 gros	ss hp1 / 2	26 gross hp1 / 2	28 gross hp1 / 2	37 gross l	np1 / 2
3	310	8	10	993	3
Separate Cl	noke & Throttle	Separate Choke & Throttle	No Choke	No Ch	noke
	5.5	11 (Twin 5.5	Gallon Tanks)	11 (Twin 5.5 G	Gallon Tanks)
3	50	3.	50	350)
Hydro-Geo	nr® ZT-3400®	Hydro-Gear	® ZT-4400™	Hydro-Gear®	ZT-5400™
O-10.C	/ 0-5.0	0-10.0	/ 0-5.0	0-12.0 /	0-6.0
Separ	ate Lever	Separa	ite Lever	Separate	e Lever
	uge Steel	11-Gau	ge Steel		e Steel
	." Welded		' Welded	1.5" × 2" \	
	x 6.5		¢ 6.5	13 x c	
23 × 9.5	23 x 11	24	24 × 12		12
	stable with Armrests	18" Premium Adjustable with Armrests		18" High-Back Mesh	
Front & Rear		Front & Rear		Front & Rear	
52	61	6	5]	61	72
	icated	Fabri	cated	Fabrica	
	5 - 5		i - 5	1.5 -	
	ot Assist		ot Assist	16-Foot	
	3		3	3	
Flectric F	PTO Switch	Electric PTO Switch		Electric PTC) Switch
	Mounted	Frame Mounted		Frame M	
2 Front / Rear Roller	6 Front / Rear Roller		Rear Roller	3 Front / R	
Commercial-Grade			t-Iron	Cast-I	· · · · · · · · · · · · · · · · · · ·
Comme	cial Ciado	Cuo	THOM	Casil	1011
	N/A		N/A		4
	Twin Levers		Levers	Twin Le	
			ional	Optio	
· ·	Optional Standard Gauge / Left Hand Console			Standard Gauge / Right	
			Standard Gauge / Right & Left Hand Console		ard
	Standard Standard		Standard Standard		
	lding		ding	Standard Folding	
ГО		FOR	allig	FOIGI	<u> </u>
81 × 68 × 68	81 × 77 × 68	82.5 x	78 × 71	84.5 × 78 × 72	86 × 87 × 72
		12.0			
		4-Years or 500 Hours,	whichever occurs first		
		4-Years or 500 Hours,	whichever occurs first		
		Lifet	ime		



www.simplicitymfg.com









Briggs & Stratton Corporation has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice. Products may vary from images shown.

Briggs & Stratton: All power levels are stated gross horsepower at 3600 rpm per SAE J1940.

Kawasaki: Only Kawasaki Critical Power engines listed in this brochure have been tested in accordance with SAE J1995, verified by TÜV Rheinland Group, horsepower-rated in accordance with SAE J2723, and certified by SAE International. Torque ratings of these engines were not certified by SAE. Actual power and torque output will vary depending on numerous factors, including, but not limited to, the operating speed of the engine in application, environmental conditions, maintenance, and other variables. **BRIGGS&STRATTON** CORPORATION MILWAUKEE. WI 53201-0702 USA (414) 259-5333 Copyright ©2020. All rights reserved.